

In The Claims:

Please amend the claims according to the following listing of claims and substitute it for all prior versions and listings of claims in the application.

Claims 1-8 (cancelled)

9. (previously presented) A cream for the treatment of dermatitis characterized in that the volume ratios of respective ingredients are Lightyellow Sophora Root (*Sophora flavescens* Ait.), 2.7 to 3.3%; Turmeric (*Curcuma aromatica* Salisb.), 1.8 to 2.2%; Magnolia Bark (*Magnolia officinalis* Rehd. Et. Wils.), 1.8 to 2.2%; Moutan Bark (*Paeonia suffruticosa* Andr.), 1.8 to 2.2%; Isatis Leaf (*Isatis tinctoria* L.), 0.9 to 1.1%; Borneo Camphor Tree (*Dryobalanops aromatica* Gaertn. f.), 0.9 to 1.1%; Baikal Skullcap (*Scutellaria baikcalensis* Georgi.), 1.8 to 2.2%; Amur Cork Tree (*Phellodendron amurense* Rupr.), 1.8 to 2.2%; Angelicae Dahuricae Root (*Angelica dahurica* Benth. et Hook.), 0.9 to 1.1%; Lemon (*Citrus Limonum*), 0 to 3%; Smartweed (*polygonum cuspidatum* Sieb. et Zucc), 0 to 1.1%; Licorice (*Glycyrrhiza uralensis* Fishch.), 0 to 0.55%; Cnidii Rhizoma (*Ligusticum chuanxiong* Hort), 0.45 to 1.1%; Japanese Angelica Root (*Angelica sinensis* (Olive) Diels.), 0 to 0.55%; salicylic acid, 0.45 to 0.55%; resorcinol, 0.45 to 0.55%; mutton oil, 2.7 to 3.3%; alcohol, 2.7 to 3.3%; and white soft paraffin, 63 to 78%.

10. (previously presented) A cream for the treatment of dermatitis characterized in that the volume ratios of respective ingredients are Lightyellow Sophora Root (*Sophora flavescens* Ait.),

3%; Turmeric (*Curcuma aromatica* Salisb.), 2%; Magnolia Bark (*Magnolia officinalis* Rehd. Et. Wils.), 2%; Moutan Bark (*Paeonia suffruticosa* Andr.), 2%; Isatis Leaf (*Isatis tinctoria* L.), 1%; Borneo Camphor Tree (*Dryobalanops aromatica* Gaertn. f.), 1%; Baikal Skullcap (*Scutellaria baikcalensis* Georgi.), 2%; Amur Cork Tree (*Phellodendron amurense* Rupr.), 2%; Angelicae Dahuricae Root (*Angelica dahurica* Benth. Et Hook.), 1%; Lemon (*Citrus Limonum*), 3%; Smartweed (*polygonum cuspidatum* Sieb. Et Zucc), 1%; Licorice (*Glycyrrhiza uralensis* Fishch.), 0.5%; Cnidii Rhizoma (*Ligusticum chuanxiong* Hort), 0.5%; Japanese Angelica Root (*Angelica sinensis* (Olive) Diels.), 0.5%; salicylic acid, 0.5%; resorcinol, 0.5%; mutton oil, 3%; alcohol, 3%; and white soft paraffin, 70.5%.

11. (previously presented) A cream for the treatment of dermatitis characterized in that the volume ratios of respective ingredients are Lightyellow Sophora Root (*Sophora flavescens* Ait.), 2.7 to 3.3%; Turmeric (*Curcuma aromatica* Salisb.), 1.8 to 2.2%; Magnolia Bark (*Magnolia officinalis* Rehd. et. Wils.), 1.8 to 2.2%; Moutan Bark (*Paeonia suffruticosa* Andr.), 1.8 to 2.2%; Isatis Leaf (*Isatis tinctoria* L.), 0.9 to 1.1%; Borneo Camphor Tree (*Dryobalanops aromatica* Gaertn. f.), 0.9 to 1.1%; Baikal Skullcap (*Scutellaria baikcalensis* Georgi.), 1.8 to 2.2%; Amur Cork Tree (*Phellodendron amurense* Rupr.), 1.8 to 2.2%; Angelicae Dahuricae Root (*Angelica dahurica* Benth. et. Hook.), 0.9 to 1.1%; Lemon (*Citrus Limonum*), 0 to 3%; Smartweed (*polygonum cuspidatum* Sieb. et Zucc), 0 to 1.1%; Licorice (*Glycyrrhiza uralensis* Fishch.), 0 to 0.55%; dimethylsulfoxide, 4.5 to 5.5%; salicylic acid, 0.45 to 0.55%; resorcinol, 0.45 to 0.55%; mutton oil, 2.7 to 3.3%; alcohol, 2.7 to 3.3%; and white soft paraffin, 60 to 73%.

12. (previously presented) A cream for the treatment of dermatitis characterized in that the volume ratios of respective ingredients are Lightyellow Sophora Root (*Sophora flavescens* Ait.), 3%; Turmeric (*Curcuma aromatica* Salisb.), 2%; Magnolia Bark (*Magnolia officinalis* Rehd. et. Wils.), 2%; Moutan Bark (*Paeonia suffruticosa* Andr.), 2%; Isatis Leaf (*Isatis tinctoria* L.), 1%; Borneo Camphor Tree (*Dryobalanops aromatica* Gaertn. f.), 1%; Baikal Skullcap (*Scutellaria baikcalensis* Georgi.), 2%; Amur Cork Tree (*Phellodendron amurense* Rupr.), 2%; Angelicae Dahuricae Root (*Angelica dahurica* Benth. et. Hook.), 1%; Lemon (*Citrus Limonum*), 3%; Smartweed (*polygonum cuspidatum* Sieb. et Zucc), 1%; Licorice (*Glycyrrhiza uralensis* Fishch.), 0.5%; dimethylsulfoxide, 5%; salicylic acid, 0.5%; resorcinol, 0.5%; mutton oil, 3%; alcohol, 3%; and white soft paraffin, 66.5%.